

Date _____

Sales Rep _____

Name _____

Street _____

City _____ State _____ Zip _____

Phone _____

Fax _____

Email _____

Ref. Info _____

Account # _____

Purchase Order # _____

Ship To _____

Street _____

City _____ State _____ Zip _____

Contact _____

Phone _____

Application Residential - Single Family Home
 Commercial

Opp Ref/Project _____

Projected Close Date _____

Lifting Heights

- 44" Tower 72" Residential Kit
- 64" Tower 92" Commercial Kit
- 78" Tower 108"
- 98" Tower 126"
- 115" Tower 158"
- 130" Tower 158"
- 160" Tower 190"

Drive Power

- DC (2 x U1 Batteries)
- AC

Exact Lifting Height _____ inches
(measured from floor or bottom of pit to the top of landing)

Guard Panels / Cab

- 42" High Steel Guard Panels (Standard)
 - Platform Canopy
- 80" High Indoor Full Wooden Melamine Cab

Wing Walls

Installation Type

- 64" Travel Pit Mount
- 78" Travel Hoistway
- 98" Travel Concrete Slab
- 115" Travel
- 130" Travel
- 160" Travel

Delivery

- Factory Pickup
- Pickup at Terminal
- Loading Dock or Forklift Available on Site
- Flatbed and Forklift Delivery
- Lift Gate

Platform Dimensions **These measurements are all clear*


- 34" x 54"
 - 34" x 60"
 - 36" x 54"
 - 36" x 60"
 - Custom: W (31" to 42") x L (46" to 66")
- Custom Size: W _____ x H _____

Keyed Call Send Controls

Flush Call Post	Flush Mount	Surface Mount	In Gate's Frame
			
<input type="checkbox"/> Top <input type="checkbox"/> Bottom	<input type="checkbox"/> Top <input type="checkbox"/> Bottom	<input type="checkbox"/> Top <input type="checkbox"/> Bottom	<input type="checkbox"/> Top Gate

Platform / Tower Configuration

90° Left Hand




Straight Thru Left Hand




0° Inline Left Hand



90° Right Hand



Straight Thru Right Hand



0° Inline Right Hand



Stops

2 Stop

3 Stop

If 3 Stop, please select the following options:

Mid Landing Orientation

- Open on Left
- Open on Right



Mid Landing Entrance (Interlock Included)

- Door 80" H x 36" W Interior
- Door 80" H x 36" W Exterior
- Door 80" H x 36" W Commercial
- Door 80" H x 36" W Exterior Polycarbonate
- Door 80" H x 38" W Interior
- Door 80" H x 38" W Exterior
- Door 80" H x 38" W Commercial
- Door 80" H x 38" W Exterior Polycarbonate
- No Door (For Doors/Gates Provided by Others)



Mid Landing Interlock (3 Stop Units Only)

- Interlock Only
- Gate
- Door
- LEFT
- RIGHT



Lower Landing Entrance

-  
- Polycarbonate Gate Panel
- 34" or 36" W x 42" H Platform Gate
- 38" to 42" W x 42" H Platform Gate
- Door: 80" H x Door: 36" W Door: 38" W
 - Interior wooden flush mount
 - Exterior flush mount insulated waterproof
 - Exterior polycarbonate
 - Commercial fire rated steel



Lower Landing Entrance - Interlock

- Interlock Only  
- Gate Door

Upper Landing Entrance

-  
- Polycarbonate Gate Panel
- 34" or 36" W x 42" H Platform Gate
- 38" to 42" W x 42" H Platform Gate
- Door: 80" H x Door: 36" W Door: 38" W
 - Interior wooden flush mount
 - Exterior flush mount insulated waterproof
 - Exterior polycarbonate
 - Commercial fire rated steel

Upper Landing Entrance - Interlock

- Interlock Only  
- Gate Door

Auto Openers

- Auto Opener for Gate Qty: _____
- Auto Opener for Door Qty: _____
- Wireless Remotes for Auto Openers (2x)
- Gas Spring Loaded Door Closer (Std on Gates)

Color of Unit

- Grey Stainless Steel Custom:
RAL#: _____

Platform Controls & Call/Send Options

- Rocker Switch, standard button
- 40mm Diameter Buttons
 - Call Station - button QTY: _____
 - Platform COP
- 60mm Diameter Buttons
 - Call Station - button QTY: _____
 - Platform COP
- Lighted Buttons on COP
- Lighted Buttons on Call/Send
- Joystick
- Anti Tamper Commercial Buttons
- Additional Platform Controls (on opposite side)

Other Options

- Audible Emergency Alarm (resettable)
- Grab Bar
- Designer Gate
- Easy Access Lowering Mechanism (moves lowering wheel from tower top to tower side)
- Folding seat
- Platform Lights
- Disconnect switch
- All Wood Crate
- Fixed Ramp for Bottom Landing
- 1000 lbs. Capacity
- Handsfree Phone
- Support Bracket - Ground Triangle
- Additional Weather Protection (very high humidity or near water)
- Custom Sized Folding Ramp (less than 24")
Custom Size _____

Fascia Panels

- Galvanized Steel Height _____ (up to 98")
- Polycarbonate (3/16" Polycarbonate w/ Aluminum Frame) Height _____ (up to 98")