

### 1. GENERAL INFORMATION

#### 1.1 Customer Information

Contact Name

Date (MM/DD/YY)

Phone

Email

#### 1.2 Project

Quote Reference #

Job Name


Location

Notes


#### Standard Features

3 HP Winding Drum Drive System for two stops. 950lbs capacity, automatic LED cab lighting, automatic emergency cab lowering, automatic functionality, illuminated stainless steel car operating panel with digital position indicator, stainless steel call stations with digital position indicator, two electromechanical door locks, two LED pot lights, stainless steel handrail, concealed in-cabinet phone, and a sleek modern cab gate with optional operator.

#### 2. Finished Hoistway Dimensions



#### 3. Rail Location



\*When facing cab at bottom landing

#### 4. Landings

2\*  3  4

#### 5. Hoistway Construction

Wood  Concrete

#### 6. Voltage

220V / 1Ph  208V / 3Ph

#### 7. CAB Dimension

36 x 36\*

36 x 48\*

36 x 60\*

Custom:  length x  width

#### 8. CAB Configuration

Front Opening\*

Pass Through


90° Opening


#### 9. CAB Finishes


 White

 Alabaster Oak

 Argento


 Gibraltar


 Plywood


 Kodiak

 Palomino

#### 10. Gate Finishes

 White\*


 Match Cab Finish

 Clear Acrylic

**IMPORTANT**

**OVERHEAD:** Minimum overhead requirement in residential builds is 106 inches.

**PIT DEPTH:** Minimum depth requirement in residential builds is 10 inches.



**11. CAB Doors**


- Manual 4 Panel Gate (select finish on the previous page)
- Automatic 4 Panel Gate (select finish on previous page)

**12. Landing Doors**

- Locks Only - Door by Others
- 36" Wooden Door Jambs


**13. Landing Door Swings**

- |        |                                  |                                 |                            |
|--------|----------------------------------|---------------------------------|----------------------------|
| STOP 4 | <input type="radio"/> Right Hand | <input type="radio"/> Left Hand | <input type="radio"/> None |
| STOP 3 | <input type="radio"/> Right Hand | <input type="radio"/> Left Hand | <input type="radio"/> None |
| STOP 2 | <input type="radio"/> Right Hand | <input type="radio"/> Left Hand |                            |
| STOP 1 | <input type="radio"/> Right Hand | <input type="radio"/> Left Hand |                            |



**14. Landing Door Location**

RAIL LOCATION	<input type="radio"/> A	<input type="radio"/> B	<input type="radio"/> C	<input type="radio"/> D	
STOP 4	<input type="radio"/> A	<input type="radio"/> B	<input type="radio"/> C	<input type="radio"/> D	<input type="radio"/> None
STOP 3	<input type="radio"/> A	<input type="radio"/> B	<input type="radio"/> C	<input type="radio"/> D	<input type="radio"/> None
STOP 2	<input type="radio"/> A	<input type="radio"/> B	<input type="radio"/> C	<input type="radio"/> D	<input type="radio"/> None
STOP 1	<input type="radio"/> A	<input type="radio"/> B	<input type="radio"/> C	<input type="radio"/> D	



\*OVERHEAD - the distance from the finished floor to the top of the hoistway on the top landing

DESCRIPTION	QUANTITY
<p><b>Base Unit + Additional Travel</b> Base unit includes features listed on page 1.</p>	(Additional travel in ft)
<p><b>Landings</b> Base unit includes features listed on page 1. Optional: 3, 4 landings.</p>	N/A
<p><b>CAB Model</b> 36 x 36 / 36 x 48 / 36 x 60 included in base model. Optional: Custom Sizes.</p>	N/A
<p><b>CAB Configurations</b> Front opening included in base price. Optional: Pass Through, 90° Opening.</p>	N/A
<p><b>CAB Finishes</b> Base unit includes choice of: White, Alabaster Oak, Argento, Gibraltar, Plywood, Kodiak, and Palomino.</p>	N/A
<p><b>Gate Finishes</b> Base unit includes choices of White. Optional: Match Cab Finish, Clear Acrylic.</p>	N/A
<p><b>CAB Doors</b> Optional: Manual 4 Panel Gate, Automatic 4 Panel Gate.</p>	



5110 Atlantic Ave. Raleigh, NC 27616  
(855) 996-2100 | AmeriGlide.com